

## आकस्मीक आश्रय सामग्री (Emergency Shelter Kits) आपूर्ति सम्बन्धी शिलबन्दी बोलपत्र आव्हान गरिएको सूचना !

प्रथम पटक प्रकाशित मिति: २०८२/१२/१३ (27 March 2026)

दोश्रो पटक प्रकाशित मिति: २०८३/०१/०७ (20 April 2026)

Habitat for Humanity International Nepal (Habitat Nepal) कार्यालयको लागि यस आर्थिक वर्षमा सञ्चालन भईरहेको परियोजना अन्तर्गत आकस्मीक आश्रय सामग्रीहरू (Shelter kit) आपूर्तिको लागि शिलबन्दी बोलपत्र आव्हान गरिएको छ। उक्त सामग्री Habitat Nepal को निम्न ठेगानाहरूमा ढुवानी समेत गर्नुपर्ने ब्यहोरा जानकारी गराइन्छ। आवश्यक सामग्रीहरूको सूचि र विशिष्टीकरण (Specification) संस्थाको वेबसाइट <https://habitatnepal.org/opportunities> बाट डाउनलोड गर्न सकिनेछ।

सामग्री आपूर्ति	गर्नुपर्ने स्थान
जिल्ला	आपूर्ति गर्नुपर्ने स्थान
महोत्तरी	बर्दिबास
मोरङ	विराटनगर - १३, मलायारोड
कैलाली	कैलाली, धनगढी - ५, हसनपुर

### बोलपत्र साथ पेश गर्नुपर्ने कागजातहरू

१. फर्मको दर्ता प्रमाणपत्रको (नविकरण सहितको) प्रतिलिपी।
२. भ्याट दर्ता प्रमाणपत्रको प्रतिलिपी।
३. आ.व. २०८१/०८२ को कर चुक्ता प्रमाणपत्रको प्रतिलिपी।


### शर्तहरू:







१. २०८३/०१/१४ भित्र कार्यालय समयमा बोलपत्र दर्ता गरिसक्नुपर्ने छ।
२. सामग्रीको दर रेट भ्याट र ढुवानी सहित उल्लेख गर्नुपर्ने छ।
३. बोलपत्र स्वीकृत भई खरिद आदेश भएको मितिले १५ दिनभित्र सामग्री उपलब्ध गराउनुपर्ने छ।
४. बोलपत्र स्वीकृत भए पश्चात यस संस्थासंग आ.व. २०८२/२०८३ को लागि खरीद तथा आपूर्ति सम्झौता गर्नुपर्नेछ।






### नोट:

न्यूनतम दर रेट रहेको आपूर्तिकर्ताहरूलाई पहिलो प्राथमिकतामा राखिनेछ तर उल्लेखीत स्पेशिफिकेशन भएको सामग्री मात्र स्वीकार गरिनेछ। बोलपत्र पेश गर्दा साथमा पेश गर्नुपर्ने कागजातहरू सँगै अनिवार्य पेश गरेको हुनुपर्नेछ। कागजात पेश नभएको बोलपत्रमाथी कुनै निर्णय हुनेछैन। बोलपत्र स्वीकृत गर्ने वा नगर्ने सम्पूर्ण अधिकार Habitat Nepal मा निहित रहनेछ। सूचना प्रकाशित भएको मितिले १५ दिन भित्र शिलबन्दी बोलपत्र निम्न ठेगानामा पेश गर्नु हुन सम्बन्धित इच्छुक आपूर्तिकर्ता/फर्महरूमा अनुरोध छ।

Habitat for Humanity International Nepal  
House No. 126, New Colony Marg  
Lalitpur-3, Dhobighat.

SN	Items	Sample Image
1	Woven HDPE Tarpaulin Sheet	
2	PP rope	
3	Rope (Laundry rope to tie the tarpauline tight)	
4	Double bed blanket	
5	Multipurpose Chatai Mats	
6	PP-Foam	

SN	Items	Sample Image
7	Woven sack	
8	Tie wire	
9	Claw hammer	
10	Nail	
11	Pliers	
12	Handsaw	

SN	Items	Sample Image
13	Nail for Roofing Sheets	
14	Shovel	
15	Hoe	
16	Cut resistant Gloves	
17	Tin cutter	



आकस्मिक आश्रय सामग्री (Emergency Shelter Kits) का लागि बोलपत्र फारम

फर्म/कम्पनिको नाम :			
ठेगाना :			
पान/भ्याट नम्बर :	प्रमुख सम्पर्क व्यक्तिको नाम :		
मोबाइल नम्बर :	ईमेल ठेगाना :		
मिति :	डेलिभरि दिन सक्ने अवधि :		

सामग्रीहरूको सूचि र विशिष्टीकरण (Specification)

SN	Item/Description	Specifications	Unit	Unit Price	Delivery Location and Quantity			Total Amount Including VAT (NPR)	Remarks
					Dhangadhi	Bardibas	Biratnagar		
<b>Emergency Shelter Kits (ESK-400 Sets)</b>									
1	Woven HDPE Tarpaulin Sheet	250 GSM Aluminum eyelets or equivalent on four sheet sides of the single sheets at 100cm (± 5cm) center to center, providing strong fixation points, Waterproof, mold and mildew resistant, SS Rustproof Grommets, Reinforced Edges Size: 18x 15 Feet	Piece		50	150	200	-	
2	Woven HDPE Tarpaulin Sheet	250 GSM Aluminum eyelets or equivalent on four sheet sides of the single sheets at 100cm (± 5cm) center to center, providing strong fixation points, Waterproof, mold and mildew resistant, SS Rustproof Grommets, Reinforced Edges Size: 24*18 Feet	Piece		50	150	200	-	
3	PP rope	PP rope 5-6 mm dia – 1 kg, minimum 3 strands for twisted rope.	KG		50	150	200	-	1 KG/set
4	Rope (Laundry rope to tie the tarpauline tight)	Material: Nylon, Length: 15 meters, wear resistant and durable, 7 mm diameter	Piece		100	300	400	-	2 pieces of 15m per set.
5	Double bed blanket	Size: 215 X 230 cm or 84 X 90 Inch (±5%). Weight: 3 kg (±5%) Outside: cotton mix	Piece		50	150	200	-	
6	Multipurpose Chatai Mats	Plastic Mats Washable Multipurpose Floor Mat (4*5 feet)	Piece		50	150	200	-	

SN	Item/Description	Specifications	Unit	Unit Price	Delivery Location and Quantity			Total Amount Including VAT (NPR)	Remarks
					Dhangadhi	Bardibas	Biratnagar		
7	PP-Foam	High density. Thickness: 12mm.	Meter		100	300	400	-	2 meter/Piece
8	Woven sack	Woven polypropylene; Size: 1300x700mm; with Habitat logo print. Color: White; Kits should be packed in woven sack and 4 mm (±5%) dia nylon rope on top to tie.	Piece		50	150	200	-	For appropriate packaging of item no 1-6.
<b>Shelter Repair Kits (SRK) 100 Set</b>									
1	Tie wire	Galvanized, Low carbon steel, Quantity: 1kg, Diameter: 2.00mm/18-gauge, Tensile Strength - Min 500N/mm2 to 700N/mm2	KG			50	50	-	
2	Claw hammer	Material - High carbon steel head, Weight of the head: 500 grams, Total weight - 600-700 grams, anti-rust coated, Overall length - 300-330 mm, Claw type: curved claw with smooth surface for nail removal, head-Haft Joint - Securely fixed; wedge or epoxy bonded Handle: Non-slip TPR (thermos plastic rubber) grip	Piece			50	50	-	
3	Nail	Nail - 4 inches and 3 inches, Type - Iron nails, made of polished low-carbon steel, Anti-corrosion Shape - Flat, smooth, circular head; plain, round shank and diamond point, Qty: 0.5 KG Each (Total 1 KG per packet)	KG			50	50	-	
4	Pliers	Material: Iron Metal or Material - High-carbon steel, Product Dimensions 20.3L x 6W cm, Handle Material – Rubber/double-dipped PVC insulation, Item Weight 378 Grams approx., Grip Type - Non-slip, Nickel or chrome-plated, Rust-resistant coating, Jaw type - Serrated gripping jaws with integrated wire cutter Cutting Capacity - Soft iron wire up to 2.0 mm diameter	Piece			50	50	-	
5	Handsaw	Material - High-carbon steel, hardened and tempered, Total length 400 – 450mm blade, overall length 550mm, Blade thickness - Approx. 0.9-1.0 mm, Item Weight: 400-600 g, Rust-resistant coating, Teeth type: Crosscut teeth, double-ground, induction hardened, 7 teeth per inch, no dents, cracks, or broken teeth Handle material: Impact-resistant plastic with smooth ergonomic finish or hardwood with smooth ergonomic finish Ball protection – Protective cardboard, teeth protection with a hard, plastic cover	Piece			50	50	-	

SN	Item/Description	Specifications	Unit	Unit Price	Delivery Location and Quantity			Total Amount Including VAT (NPR)	Remarks
					Dhangadhi	Bardibas	Biratnagar		
6	Nail for Roofing Sheets	Roofing nails: 3 inches (200 gram), 4 inches (300 gram), Material: Stainless steel, Point: Diamond, chisel, Blunt, pointless, Clinch Point, Surface Treatment: Bright, Electrogalvanized (EGK) & Hot Dip Galvanized (HDG), Thickness: 0.08" - 0.09", Tensile Strength - Min 650N/mm2, Rubber washer: Diameter 26mm x thickness 2mm	KG			25	25	-	500 Grams per packet
7	Shovel	Material – Pressed carbon steel, Hardened and Tempered, Corrosion protection. Dimensions: 295*225mm, Weight: 0.7 - 0.9 kg without handle, 1.5 KG with handle, Hole diameter: Front side 36mm, Backside: 40mm, Total length – 1100mm to 1200mm, Blade thickness - 1.5–2.5 mm, Corrosion Protection - Black paint, Handle: Strong, Smooth, polished, Blade securely riveted or socket-fitted to the handle, Straight or "D"-shaped grip (D-handle preferred for control)	Piece			50	50	-	Pack in set of 10 units.
8	Hoe with handle	Material: Hot forged carbon steel, hardened and tempered, Corrosion protection, Dimensions: 180*240mm, Weight: 1.25kg, Blade thickness: 1.6 to 3mm, Hole diameter: High raised neck, Front side 43mm and Back side 48mm Handle: Handle Length: 900–1200 mm, diameter: 30–35 mm (comfortable grip), Smooth, polished, varnished, Head fitted into the handle socket and secured with a wedge or rivet Total length: 1100mm to 1200mm	Piece			50	50	-	
9	Cut resistant Gloves	Heavy-duty work: handling metal sheets, nails, wood, rubble, and tools, heavy-duty fabric with reinforced palm, good grip, cut/abrasion resistance, Cuff -Safety cuff, Reusable, Color- Neutral (grey, black or brown) - not white	Pairs			100	100	-	2 pairs in one set

SN	Item/Description	Specifications	Unit	Unit Price	Delivery Location and Quantity			Total Amount Including VAT (NPR)	Remarks
					Dhangadhi	Bardibas	Biratnagar		
10	Tin cutter	Drop forged carbon steel, Non-slip, Ergonomic handles, Cutting capacity iron sheet: 0.6 mm –1 mm	Piece			50	50	-	
<b>Sub Total</b>								-	
Add: Cost of Delivery/Transportation to Dhangadhi									
Add: Cost of Delivery/Transportation to Bardibas									
Add: Cost of Delivery/Transportation to Biratnagar									
<b>Total Amount Including Delivery</b>								-	

दस्तखत :

फर्म/कम्पनिको छाप :

**बोलपत्र साथ पेश गर्नुपर्ने कागजातहरू:**

१. फर्मको दर्ता प्रमाणपत्रको (नंविकरण सहितको) प्रतिलिपी ।
२. भ्याट दर्ता प्रमाणपत्रको प्रतिलिपी ।
३. आ.व. २०८१/०८२ को कर चुक्ता प्रमाणपत्रको प्रतिलिपी ।

कार्यालय प्रयोजनका लागि मात्र

प्रमाणित गर्ने

खरिद समिति सदस्यहरू :

**नोट:**

- क) यो फारममा केरमेट हुन हुदैन र फारम पुरा भएपछि हुनुपर्नेछ । आंशिक बोलपत्र मान्य हुनेछैन ।
- ख) थप जानकारीका लागि सम्पर्क : [np.info@habitatnepal.org](mailto:np.info@habitatnepal.org), ०१-५४२११८२
- ग) बोलपत्र आव्हान गर्दा ४०० सेट भनिएता पनि बजेटको उपलब्धता हेरि सेट सङ्ख्या बढाउन सकिनेछ ।
- घ) बोलपत्र पेश गर्दा साथमा पेश गर्नुपर्ने कागजातहरू सँगै अनिवार्य पेश गरेको हुनुपर्नेछ । कागजात पेश नभएको बोलपत्रमाथी कुनै निर्णय हुनेछैन ।
- ङ) बोलपत्र स्वीकृत गर्ने वा नगर्ने सम्पूर्ण अधिकार Habitat Nepal मा निहित रहनेछ ।