



**cfsl:ds cf>o ;fdfu|L (Emergency Shelter Kits) sf nflu af]nkq kmf/d**

<b>kmd{+sDklgsf] gfd</b>	<b>M</b>
<b>7]ufgf M</b>	
<b>kfg+Eof6 gDa/ M</b>	<b>k d'v ;Dks{ JolQmsf] gfd M</b>
<b>df]afOn gDa/ M</b>	<b>O{d]n 7]ufgf M</b>
<b>ldlt M</b>	<b>8]lnel/ lbg ;Sg] cjlw M</b>

**;fdulLx?sf] ;"lr / lj]zi6Ls/0f -Specification\_**

SN	Item/Description	Specifications	Unit	Unit Price	Delivery Location and Quantity			Total Amount Including VAT (NPR)	Remarks
					Dhangadhi	Bardibas	Biratnagar		
<b>Emergency Shelter Kits (ESK-400 Sets)</b>									
1	Woven HDPE Tarpaulin Sheet	250 GSM Aluminum eyelets or equivalent on four sheet sides of the single sheets at 100cm (± 5cm) center to center, providing strong fixation points, Waterproof, mold and mildew resistant, SS Rustproof Grommets, Reinforced Edges Size: 18x 15 Feet	Piece		50	150	200	-	
2	Woven HDPE Tarpaulin Sheet	250 GSM Aluminum eyelets or equivalent on four sheet sides of the single sheets at 100cm (± 5cm) center to center, providing strong fixation points, Waterproof, mold and mildew resistant, SS Rustproof Grommets, Reinforced Edges Size: 24*18 Feet	Piece		50	150	200	-	
3	PP rope	PP rope 5-6 mm dia – 1 kg, minimum 3 strands for twisted rope.	KG		50	150	200	-	1 KG/set
4	Rope (Laundry rope to tie the tarpauline tight)	Material: Nylon, Length: 15 meters, wear resistant and durable, 7 mm diameter	Piece		100	300	400	-	2 pieces of 15m per set.
5	Double bed blanket	Size: 215 X 230 cm or 84 X 90 Inch (±5%). Weight: 3 kg (±5%) Outside: cotton mix	Piece		50	150	200	-	
6	Multipurpose Chatai Mats	Plastic Mats Washable Multipurpose Floor Mat (4*5 feet)	Piece		50	150	200	-	

SN	Item/Description	Specifications	Unit	Unit Price	Delivery Location and Quantity			Total Amount Including VAT (NPR)	Remarks
					Dhangadhi	Bardibas	Biratnagar		
7	PP-Foam	High density. Thickness: 12mm.	Meter		100	300	400	-	2 meter/Piece
8	Woven sack	Woven polypropylene; Size: 1300x700mm; with Habitat logo print. Color: White; Kits should be packed in woven sack and 4 mm (±5%) dia nylon rope on top to tie.	Piece		50	150	200	-	For appropriate packaging of item no 1-6.
<b>Shelter Repair Kits (SRK) 100 Set</b>									
1	Tie wire	Galvanized, Low carbon steel, Quantity: 1kg, Diameter: 2.00mm/18-gauge, Tensile Strength - Min 500N/mm2 to 700N/mm2	KG			50	50	-	
2	Claw hammer	Material - High carbon steel head, Weight of the head: 500 grams, Total weight - 600-700 grams, anti-rust coated, Overall length - 300-330 mm, Claw type: curved claw with smooth surface for nail removal, head-Haft Joint - Securely fixed; wedge or epoxy bonded Handle: Non-slip TPR (thermos plastic rubber) grip	Piece			50	50	-	
3	Nail	Nail - 4 inches and 3 inches, Type - Iron nails, made of polished low-carbon steel, Anti-corrosion Shape - Flat, smooth, circular head; plain, round shank and diamond point, Qty: 0.5 KG Each (Total 1 KG per packet)	KG			50	50	-	
4	Pliers	Material: Iron Metal or Material - High-carbon steel, Product Dimensions 20.3L x 6W cm, Handle Material – Rubber/double-dipped PVC insulation, Item Weight 378 Grams approx., Grip Type - Non-slip, Nickel or chrome-plated, Rust-resistant coating, Jaw type - Serrated gripping jaws with integrated wire cutter Cutting Capacity - Soft iron wire up to 2.0 mm diameter	Piece			50	50	-	
5	Handsaw	Material - High-carbon steel, hardened and tempered, Total length 400 – 450mm blade, overall length 550mm, Blade thickness - Approx. 0.9-1.0 mm, Item Weight: 400-600 g, Rust-resistant coating, Teeth type: Crosscut teeth, double-ground, induction hardened, 7 teeth per inch, no dents, cracks, or broken teeth Handle material: Impact-resistant plastic with smooth ergonomic finish or hardwood with smooth ergonomic finish Ball protection – Protective cardboard, teeth protection with a hard, plastic cover	Piece			50	50	-	

SN	Item/Description	Specifications	Unit	Unit Price	Delivery Location and Quantity			Total Amount Including VAT (NPR)	Remarks
					Dhangadhi	Bardibas	Biratnagar		
6	Nail for Roofing Sheets	Roofing nails: 3 inches (200 gram), 4 inches (300 gram), Material: Stainless steel, Point: Diamond, chisel, Blunt, pointless, Clinch Point, Surface Treatment: Bright, Electrogalvanized (EGK) & Hot Dip Galvanized (HDG), Thickness: 0.08" - 0.09", Tensile Strength - Min 650N/mm2, Rubber washer: Diameter 26mm x thickness 2mm	KG			25	25	-	500 Grams per packet
7	Shovel	Material – Pressed carbon steel, Hardened and Tempered, Corrosion protection. Dimensions: 295*225mm, Weight: 0.7 - 0.9 kg without handle, 1.5 KG with handle, Hole diameter: Front side 36mm, Backside: 40mm, Total length – 1100mm to 1200mm, Blade thickness - 1.5–2.5 mm, Corrosion Protection - Black paint, Handle: Strong, Smooth, polished, Blade securely riveted or socket-fitted to the handle, Straight or "D"-shaped grip (D-handle preferred for control)	Piece			50	50	-	Pack in set of 10 units.
8	Hoe with handle	Material: Hot forged carbon steel, hardened and tempered, Corrosion protection, Dimensions: 180*240mm, Weight: 1.25kg, Blade thickness: 1.6 to 3mm, Hole diameter: High raised neck, Front side 43mm and Back side 48mm Handle: Handle Length: 900–1200 mm, diameter: 30–35 mm (comfortable grip), Smooth, polished, varnished, Head fitted into the handle socket and secured with a wedge or rivet Total length: 1100mm to 1200mm	Piece			50	50	-	
9	Cut resistant Gloves	Heavy-duty work: handling metal sheets, nails, wood, rubble, and tools, heavy-duty fabric with reinforced palm, good grip, cut/abrasion resistance, Cuff -Safety cuff, Reusable, Color- Neutral (grey, black or brown) - not white	Pairs			100	100	-	2 pairs in one set

SN	Item/Description	Specifications	Unit	Unit Price	Delivery Location and Quantity			Total Amount Including VAT (NPR)	Remarks
					Dhangadhi	Bardibas	Biratnagar		
10	Tin cutter	Drop forged carbon steel, Non-slip, Ergonomic handles, Cutting capacity iron sheet: 0.6 mm –1 mm	Piece		<del> </del>	50	50	-	
<b>Sub Total</b>								-	
Add: Cost of Delivery/Transportation to Dhangadhi									
Add: Cost of Delivery/Transportation to Bardibas									
Add: Cost of Delivery/Transportation to Biratnagar									
<b>Total Amount Including Delivery</b>								-	

b:tvM

kmd{+sDKlgsf] 5fk  
M



**af]nkq ;fy k]z ug' {kg] { sfuhftx?M**  
 != kmd{sf] btf{ k|df0fkqsf] -gljs/Of ;lxtsf]\_ k|ltlnkL  
 .  
 @= Eof6 btf{ k|df0fkqsf] k|ltlnkL .  
 #= cf=j= @)\*!+)\*@ sf] s/ r'Qmf k|df0fkqsf]  
 k|ltlnkL .

**sfof{no k|of]hgsf nflu dfq**  
**k|dfi0ft ug]{**  
**vl/b ;ldit ;b:ox? M**

**Gff]6M**

s\_of] kmf/ddf s]/d]6 x'g x'b}g / kmf/d k'/f el/Psf] x'g'kg]{5 . cf+lzs af]nkq dfGo x'g]5}g .  
 v\_ yk hfgsf/Lsf nflu ;Dk{s M np.info@habitatnepal.org, )!-%\$@!!\*@  
 u\_ af]nkq cfJxfg ubf{ \$) ) ;6 elgPtf klg ah]6sf] pknAwtf x]l/ ;]6 ;^Vof a9fpg ;lsg]5 .  
 3\_ af]nkq k]z ubf{ ;fydf k]z ug' {kg] { sfuhftx? ;+u} clgjfo{ k]z u/]sf] x'g'kg]{5 . sfuhft k]z gePsf] af]nkqdfyL s'g} lg0f{o x'g]5}g .  
 ^\_ af]nkq ;jLs[t ug]{ jf gug]{ ;Dk"0f{ clwsf/ Habitat Nepal df lglxt /xg]5 .